





Similar a ilustración



Dimensiones en mm

Datos técnicos	
Tipo de conexión	Conector macho M8
N.º de polos	3
Ángulo de conexión de conductor con respecto al ángulo de conexión	0 °

Datos de conexión	
Tipo de conexión	Tecnología de penetración con pin
Conductor rígido	0,14 ... 0,34 mm²



Datos mecánicos	
Diámetro de cable conectable con forro	4 ... 5 mm
Peso	13,9 g

Requisitos medioambientales	
Tipo de protección	IP67
Carga de fuego	0,115 MJ

Datos comerciales	
PU (SPU)	5 (1) UDS
Tipo de embalaje	Box
País de origen	DE
GTIN	4044918977333
Número de arancel aduanero	85366990990

Product Classification		
UNSPSC		39121413
eCl@ss 10.0		27-24-26-92
eCl@ss 9.0		27-24-26-92
ETIM 9.0		EC002584
ETIM 10.0		EC002584
ECCN		NO US CLASSIFICATION

Environmental Product Compliance		
RoHS Compliance Status		Compliant,No Exemption

Descargas	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 756-9102/030-000	

Documentation				
System Description		Bid Text		
IP67 Cables and Plug-gable Connectors	pdf 157.80 KB	756-9102/030-000	19.02.2019	xml 2.69 KB
		756-9102/030-000	20.09.2017	doc 23.50 KB



CAD/CAE-Data	
CAE data	
WSCAD Universe 756-9102/030-000	