

Product Spec Sheet



Part Number: WC3-S101-18

Description: Cabinet Wall Mount 737mm Width (29in) 762mm Depth (30in) 2 Side Panels Vented Front Door Solid Rear Door Hanging Backplate Conduit Knockouts Key Lock Black 18U

Siemon's feature-rich Wall Mount Cabinet saves valuable floor space while providing a cost-effective means to secure and protect network equipment from dust, tampering, and other hazards. Designed with excellent cable management, easy rear access and a fully adjustable mounting rail system, the Wall Mount Cabinet is extremely versatile for a wide range of applications. It is ideal as a mini telecommunications room or for remote network distribution and consolidation points in open, unprotected spaces such as warehouses, retail facilities and schools. This EIA/ECA and UL 60950-compliant Wall Mount Cabinet is also ideal for zone cabling in intelligent building applications, passive optical networks, or wherever more expensive full-size cabinets are not required. It is compatible with Siemon VersaPOD® fan kits, rack-mount PDUs, shelves and other accessories.



Disclaimer: The product images shown are for illustration purposes only and may not be an exact representation of the product

General:

Product Family	Wall Mount Cabinets
----------------	---------------------

Weights & Dimensions:

Product Unit of Measure	EA
Product Weight	54.5kg (120.14lbs)
Product Dimensions (D x W x H)	761.6mm x 737.1mm x 855.3mm (29.98" x 29.02" x 33.67")

Product Spec Sheet



Physical Specifications:

Product Type	Wall Mount Cabinet
Color	Black
U Height	18U
Component Material	Cold rolled steel
Plastic Materials	Flame retardant thermoplastic
Lock or Latch Type	Key Lock
Rear Door Type	Rear Door Hanging Backplate Conduit Knockouts
Front Door Type	Front Door Solid
Backplate Cable Access Openings	(4) 3.5" and (2) 1.25" knockouts on top and bottom; (1) 8" x 8" on rear
Metal Finish	Textured powder coat
Front Door Material	Cold rolled steel
Included Cable Management	6 plastic cable managers
Mounting Hardware	24 mounting screws #12-24

Mechanical Specifications:

Rack Mounting Specification	EIA/ECA-310-E 19 in. (482.6 mm) rack
Load Rating (lbs)	200
Load Rating (kg)	91

Compliance:

Industry Standards	EIA/ECA-310-E, NEMA Type 1 Enclosure, IP20 Rated
Safety & Certifications	UL 62368
Quality Management System Certification	ISO 9001:2015

Product Spec Sheet



Environmental & Sustainability:

RoHS	RoHS - Meets Without Exemption
REACH	REACH - Does Not Contain SVHCs
Conflict Minerals	Conflict Minerals - DRC Conflict Free
PFAS	Does not contain PFAS Substances

For more details about the product, please [Click Here](#)

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

North America
P: (1) 860 945 4200

Mexico
P: (521) 556 387 7708/09/10

Latin America
P: (571) 657 1950/51/52

Europe
P: (44) 0 1932 571771

China
P: (86) 215385 0303

India, Middle East & Africa
P: (971) 4 3689743

Asia Pacific
P: (61) 2 8977 7500

Siemon Interconnect Solutions
P: (1) 860 945 4213
www.siemon.com/SIS

